Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	4	1	5
Diagnosis		% within Sex	.4%	.3%	.3%
	2-4	Count	1	1	2
		% within Sex	.1%	.3%	.1%
	5-12	Count	1	6	7
		% within Sex	.1%	1.7%	.5%
	13-19	Count	34	16	50
		% within Sex	3.1%	4.5%	3.5%
	20-24	Count	120	45	165
		% within Sex	11.1%	12.7%	11.5%
	25-29	Count	162	57	219
		% within Sex	14.9%	16.1%	15.2%
	30-34	Count	192	68	260
		% within Sex	17.7%	19.3%	18.1%
	35-39	Count	224	71	295
		% within Sex	20.6%	20.1%	20.5%
	40-44	Count	167	32	199
		% within Sex	15.4%	9.1%	13.8%
	45-49	Count	88	31	119
		% within Sex	8.1%	8.8%	8.3%
	50-54	Count	49	16	65
		% within Sex	4.5%	4.5%	4.5%
	55-59	Count	22	8	30
		% within Sex	2.0%	2.3%	2.1%
	60-64	Count	13	0	13
		% within Sex	1.2%	.0%	.9%
	65-69	Count	4	1	5
		% within Sex	.4%	.3%	.3%
	70+	Count	2	0	2
		% within Sex	.2%	.0%	.1%
	Unknown	Count	2	0	2
		% within Sex	.2%	.0%	.1%
Total		Count	1085	353	1438
		% within Sex	100.0%	100.0%	100.0%
	a Aroo - North		.00.070	100.070	100.070

a. Planning Area = North Central Texas

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	513	76	589
		% within Sex	47.3%	21.5%	41.0%
	African American	Count	347	224	571
		% within Sex	32.0%	63.5%	39.7%
	Hispanic	Count	197	45	242
		% within Sex	18.2%	12.7%	16.8%
	Asian-Pacific Islander	Count	15	5	20
		% within Sex	1.4%	1.4%	1.4%
	Am Indian-Alaskan	Count	3	1	4
		% within Sex	.3%	.3%	.3%
	Not Specified	Count	10	2	12
		% within Sex	.9%	.6%	.8%
Total	<u> </u>	Count	1085	353	1438
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	644	0	644
Exposure		% within Sex	59.4%	.0%	44.8%
	IDU	Count	57	40	97
		% within Sex	5.3%	11.3%	6.7%
	M-M & IDU	Count	25	0	25
		% within Sex	2.3%	.0%	1.7%
	Hemophiliac	Count	2	0	2
		% within Sex	.2%	.0%	.1%
	Heterosexual Contact	Count	36	99	135
		% within Sex	3.3%	28.0%	9.4%
	Transfusion	Count	3	2	5
		% within Sex	.3%	.6%	.3%
	Not Classified	Count	312	204	516
		% within Sex	28.8%	57.8%	35.9%
	Ped Parent at Risk	Count	6	5	11
		% within Sex	.6%	1.4%	.8%
	Ped Other-Undet	Count	0	3	3
		% within Sex	.0%	.8%	.2%
Total		Count	1085	353	1438
a Diamaia		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	1	587	1	589
		% within Adult-Ped	7.1%	41.3%	50.0%	41.0%
	African American	Count	9	561	1	571
		% within Adult-Ped	64.3%	39.5%	50.0%	39.7%
	Hispanic	Count	4	238	0	242
		% within Adult-Ped	28.6%	16.7%	.0%	16.8%
	Asian-Pacific Islander	Count	0	20	0	20
		% within Adult-Ped	.0%	1.4%	.0%	1.4%
	Am Indian-Alaskan	Count	0	4	0	4
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	12	0	12
		% within Adult-Ped	.0%	.8%	.0%	.8%
Total	_	Count	14	1422	2	1438
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	3	1	4
Diagnosis		% within Sex	.2%	.3%	.2%
	5-12	Count	3	2	5
		% within Sex	.2%	.6%	.3%
	13-19	Count	23	20	43
		% within Sex	1.8%	5.5%	2.6%
	20-24	Count	107	48	155
		% within Sex	8.3%	13.3%	9.4%
	25-29	Count	147	62	209
		% within Sex	11.4%	17.2%	12.7%
	30-34	Count	229	54	283
		% within Sex	17.8%	15.0%	17.2%
	35-39	Count	288	73	361
		% within Sex	22.4%	20.2%	21.9%
	40-44	Count	237	60	297
		% within Sex	18.5%	16.6%	18.1%
	45-49	Count	126	17	143
		% within Sex	9.8%	4.7%	8.7%
	50-54	Count	66	12	78
		% within Sex	5.1%	3.3%	4.7%
	55-59	Count	39	2	41
		% within Sex	3.0%	.6%	2.5%
	60-64	Count	9	6	15
		% within Sex	.7%	1.7%	.9%
	65-69	Count	2	1	3
		% within Sex	.2%	.3%	.2%
	70+	Count	2	1	3
		% within Sex	.2%	.3%	.2%
	Unknown	Count	3	2	5
		% within Sex	.2%	.6%	.3%
Total		Count	1284	361	1645
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	677	107	784
		% within Sex	52.7%	29.6%	47.7%
	African American	Count	392	212	604
		% within Sex	30.5%	58.7%	36.7%
	Hispanic	Count	189	38	227
		% within Sex	14.7%	10.5%	13.8%
	Asian-Pacific Islander	Count	10	1	11
		% within Sex	.8%	.3%	.7%
	Am Indian-Alaskan	Count	2	1	3
		% within Sex	.2%	.3%	.2%
	Not Specified	Count	14	2	16
		% within Sex	1.1%	.6%	1.0%
Total		Count	1284	361	1645
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	873	0	873
Exposure		% within Sex	68.0%	.0%	53.1%
	IDU	Count	75	58	133
		% within Sex	5.8%	16.1%	8.1%
	M-M & IDU	Count	50	0	50
		% within Sex	3.9%	.0%	3.0%
	Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	34	171	205
		% within Sex	2.6%	47.4%	12.5%
	Transfusion	Count	3	3	6
		% within Sex	.2%	.8%	.4%
	Not Classified	Count	242	126	368
		% within Sex	18.8%	34.9%	22.4%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	4	3	7
		% within Sex	.3%	.8%	.4%
	Ped Other-Undet	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total		Count	1284	361	1645
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	2	781	1	784
		% within Adult-Ped	22.2%	47.9%	20.0%	47.7%
	African American	Count	7	594	3	604
		% within Adult-Ped	77.8%	36.4%	60.0%	36.7%
	Hispanic	Count	0	226	1	227
		% within Adult-Ped	.0%	13.9%	20.0%	13.8%
	Asian-Pacific Islander	Count	0	11	0	11
		% within Adult-Ped	.0%	.7%	.0%	.7%
	Am Indian-Alaskan	Count	0	3	0	3
		% within Adult-Ped	.0%	.2%	.0%	.2%
	Not Specified	Count	0	16	0	16
		% within Adult-Ped	.0%	1.0%	.0%	1.0%
Total		Count	9	1631	5	1645
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Age at	0 (0-11 mo)	Count	29	23	52
Diagnosis		% within Sex	.6%	1.5%	.8%
	1 (12-23 mo)	Count	1	7	8
		% within Sex	.0%	.5%	.1%
	2-4	Count	7	7	14
		% within Sex	.1%	.5%	.2%
	5-12	Count	17	11	28
		% within Sex	.4%	.7%	.4%
	13-19	Count	85	107	192
		% within Sex	1.8%	7.2%	3.1%
	20-24	Count	436	211	647
		% within Sex	9.2%	14.2%	10.4%
	25-29	Count	709	270	979
		% within Sex	14.9%	18.2%	15.7%
	30-34	Count	919	253	1172
		% within Sex	19.3%	17.0%	18.8%
	35-39	Count	1062	246	1308
		% within Sex	22.3%	16.6%	20.9%
	40-44	Count	725	170	895
		% within Sex	15.2%	11.4%	14.3%
	45-49	Count	399	82	481
		% within Sex	8.4%	5.5%	7.7%
	50-54	Count	194	59	253
		% within Sex	4.1%	4.0%	4.1%
	55-59	Count	102	22	124
		% within Sex	2.1%	1.5%	2.0%
	60-64	Count	49	10	59
		% within Sex	1.0%	.7%	.9%
	65-69	Count	13	4	17
		% within Sex	.3%	.3%	.3%
	70+	Count	6	2	8
		% within Sex	.1%	.1%	.1%
	Unknown	Count	6	2	8
		% within Sex	.1%	.1%	.1%
Total		Count	4759	1486	6245
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	2432	387	2819
		% within Sex	51.1%	26.0%	45.1%
	African American	Count	1528	898	2426
		% within Sex	32.1%	60.4%	38.8%
	Hispanic	Count	705	183	888
		% within Sex	14.8%	12.3%	14.2%
	Asian-Pacific Islander	Count	46	7	53
		% within Sex	1.0%	.5%	.8%
	Am Indian-Alaskan	Count	15	5	20
		% within Sex	.3%	.3%	.3%
	Not Specified	Count	33	6	39
		% within Sex	.7%	.4%	.6%
Total	_	Count	4759	1486	6245
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	3038	0	3038
Exposure		% within Sex	63.8%	.0%	48.6%
	IDU	Count	280	269	549
		% within Sex	5.9%	18.1%	8.8%
	M-M & IDU	Count	277	0	277
		% within Sex	5.8%	.0%	4.4%
	Hemophiliac	Count	6	0	6
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	146	458	604
		% within Sex	3.1%	30.8%	9.7%
	Transfusion	Count	10	10	20
		% within Sex	.2%	.7%	.3%
	Not Classified	Count	948	701	1649
		% within Sex	19.9%	47.2%	26.4%
	Ped Hemophiliac	Count	8	0	8
		% within Sex	.2%	.0%	.1%
	Ped Parent at Risk	Count	39	41	80
		% within Sex	.8%	2.8%	1.3%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	7	6	13
		% within Sex	.1%	.4%	.2%
Total		Count	4759	1486	6245
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	28	2788	3	2819
		% within Adult-Ped	27.5%	45.4%	37.5%	45.1%
	African American	Count	56	2366	4	2426
		% within Adult-Ped	54.9%	38.6%	50.0%	38.8%
	Hispanic	Count	17	870	1	888
		% within Adult-Ped	16.7%	14.2%	12.5%	14.2%
	Asian-Pacific Islander	Count	1	52	0	53
		% within Adult-Ped	1.0%	.8%	.0%	.8%
	Am Indian-Alaskan	Count	0	20	0	20
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	39	0	39
		% within Adult-Ped	.0%	.6%	.0%	.6%
Total		Count	102	6135	8	6245
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	28	23	51
Diagnosis		% within Sex	.6%	1.6%	.8%
	1 (12-23 mo)	Count	1	7	8
		% within Sex	.0%	.5%	.1%
	2-4	Count	7	6	13
		% within Sex	.2%	.4%	.2%
	5-12	Count	17	10	27
		% within Sex	.4%	.7%	.4%
	13-19	Count	85	107	192
		% within Sex	1.8%	7.3%	3.1%
	20-24	Count	432	209	641
		% within Sex	9.3%	14.2%	10.5%
	25-29	Count	704	268	972
		% within Sex	15.1%	18.3%	15.9%
	30-34	Count	909	251	1160
		% within Sex	19.5%	17.1%	18.9%
	35-39	Count	1036	241	1277
		% within Sex	22.2%	16.4%	20.8%
	40-44	Count	713	167	880
		% within Sex	15.3%	11.4%	14.4%
	45-49	Count	383	80	463
		% within Sex	8.2%	5.5%	7.6%
	50-54	Count	183	58	241
		% within Sex	3.9%	4.0%	3.9%
	55-59	Count	97	22	119
		% within Sex	2.1%	1.5%	1.9%
	60-64	Count	45	10	55
		% within Sex	1.0%	.7%	.9%
	65-69	Count	12	4	16
		% within Sex	.3%	.3%	.3%
	70+	Count	5	2	7
		% within Sex	.1%	.1%	.1%
	Unknown	Count	6	2	8
		% within Sex	.1%	.1%	.1%
Total		Count	4663	1467	6130
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	0 (0-11 mo)	Count	1	1	2
Age		% within Sex	.0%	.1%	.0%
	1 (12-23 mo)	Count	3	0	3
		% within Sex	.1%	.0%	.0%
	2-4	Count	14	12	26
		% within Sex	.3%	.8%	.4%
	5-12	Count	21	22	43
		% within Sex	.5%	1.5%	.7%
	13-19	Count	33	41	74
		% within Sex	.7%	2.8%	1.2%
	20-24	Count	219	153	372
		% within Sex	4.7%	10.4%	6.1%
	25-29	Count	519	237	756
		% within Sex	11.1%	16.2%	12.3%
	30-34	Count	793	268	1061
		% within Sex	17.0%	18.3%	17.3%
	35-39	Count	1013	242	1255
		% within Sex	21.7%	16.5%	20.5%
	40-44	Count	951	225	1176
		% within Sex	20.4%	15.3%	19.2%
	45-49	Count	556	128	684
		% within Sex	11.9%	8.7%	11.2%
	50-54	Count	295	73	368
		% within Sex	6.3%	5.0%	6.0%
	55-59	Count	134	38	172
		% within Sex	2.9%	2.6%	2.8%
	60-64	Count	70	16	86
		% within Sex	1.5%	1.1%	1.4%
	65-69	Count	27	6	33
		% within Sex	.6%	.4%	.5%
	70+	Count	13	4	17
		% within Sex	.3%	.3%	.3%
	Unknown	Count	1	1	2
		% within Sex	.0%	.1%	.0%
Total		Count	4663	1467	6130
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	2383	382	2765
		% within Sex	51.1%	26.0%	45.1%
	African American	Count	1495	887	2382
		% within Sex	32.1%	60.5%	38.9%
	Hispanic	Count	694	181	875
		% within Sex	14.9%	12.3%	14.3%
	Asian-Pacific Islander	Count	46	6	52
		% within Sex	1.0%	.4%	.8%
	Am Indian-Alaskan	Count	13	5	18
		% within Sex	.3%	.3%	.3%
	Not Specified	Count	32	6	38
		% within Sex	.7%	.4%	.6%
Total		Count	4663	1467	6130
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	2994	0	2994
Exposure		% within Sex	64.2%	.0%	48.8%
	IDU	Count	270	264	534
		% within Sex	5.8%	18.0%	8.7%
	M-M & IDU	Count	273	0	273
		% within Sex	5.9%	.0%	4.5%
	Hemophiliac	Count	6	0	6
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	143	456	599
		% within Sex	3.1%	31.1%	9.8%
	Transfusion	Count	10	10	20
		% within Sex	.2%	.7%	.3%
	Not Classified	Count	914	691	1605
		% within Sex	19.6%	47.1%	26.2%
	Ped Hemophiliac	Count	8	0	8
		% within Sex	.2%	.0%	.1%
	Ped Parent at Risk	Count	38	39	77
		% within Sex	.8%	2.7%	1.3%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	7	6	13
		% within Sex	.2%	.4%	.2%
Total		Count	4663	1467	6130
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	26	2736	3	2765
		% within Adult-Ped	26.3%	45.4%	37.5%	45.1%
	African American	Count	55	2323	4	2382
		% within Adult-Ped	55.6%	38.6%	50.0%	38.9%
	Hispanic	Count	17	857	1	875
		% within Adult-Ped	17.2%	14.2%	12.5%	14.3%
	Asian-Pacific Islander	Count	1	51	0	52
		% within Adult-Ped	1.0%	.8%	.0%	.8%
	Am Indian-Alaskan	Count	0	18	0	18
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	38	0	38
		% within Adult-Ped	.0%	.6%	.0%	.6%
Total		Count	99	6023	8	6130
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	5-12	Count	1	0	1
Diagnosis		% within Sex	.1%	.0%	.1%
	13-19	Count	5	2	7
		% within Sex	.6%	.8%	.6%
	20-24	Count	28	12	40
		% within Sex	3.2%	4.8%	3.6%
	25-29	Count	77	35	112
		% within Sex	8.8%	14.0%	10.0%
	30-34	Count	135	37	172
		% within Sex	15.5%	14.8%	15.3%
	35-39	Count	230	78	308
		% within Sex	26.4%	31.2%	27.5%
	40-44	Count	181	33	214
		% within Sex	20.8%	13.2%	19.1%
	45-49	Count	104	23	127
		% within Sex	11.9%	9.2%	11.3%
	50-54	Count	57	14	71
		% within Sex	6.5%	5.6%	6.3%
	55-59	Count	30	9	39
		% within Sex	3.4%	3.6%	3.5%
	60-64	Count	16	5	21
		% within Sex	1.8%	2.0%	1.9%
	65-69	Count	2	1	3
		% within Sex	.2%	.4%	.3%
	70+	Count	4	1	5
		% within Sex	.5%	.4%	.4%
	Unknown	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total		Count	871	250	1121
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	385	58	443
		% within Sex	44.2%	23.2%	39.5%
	African American	Count	293	152	445
		% within Sex	33.6%	60.8%	39.7%
	Hispanic	Count	176	34	210
		% within Sex	20.2%	13.6%	18.7%
	Asian-Pacific Islander	Count	11	2	13
		% within Sex	1.3%	.8%	1.2%
	Am Indian-Alaskan	Count	1	1	2
		% within Sex	.1%	.4%	.2%
	Not Specified	Count	5	3	8
		% within Sex	.6%	1.2%	.7%
Total		Count	871	250	1121
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	512	0	512
Exposure		% within Sex	58.8%	.0%	45.7%
	IDU	Count	59	35	94
		% within Sex	6.8%	14.0%	8.4%
	M-M & IDU	Count	42	0	42
		% within Sex	4.8%	.0%	3.7%
	Hemophiliac	Count	2	1	3
		% within Sex	.2%	.4%	.3%
	Heterosexual Contact	Count	41	70	111
		% within Sex	4.7%	28.0%	9.9%
	Transfusion	Count	4	6	10
		% within Sex	.5%	2.4%	.9%
	Not Classified	Count	210	138	348
		% within Sex	24.1%	55.2%	31.0%
	Ped Parent at Risk	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total		Count	871	250	1121
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	1	441	1	443
		% within Adult-Ped	100.0%	39.4%	100.0%	39.5%
	African American	Count	0	445	0	445
		% within Adult-Ped	.0%	39.8%	.0%	39.7%
	Hispanic	Count	0	210	0	210
		% within Adult-Ped	.0%	18.8%	.0%	18.7%
	Asian-Pacific Islander	Count	0	13	0	13
		% within Adult-Ped	.0%	1.2%	.0%	1.2%
	Am Indian-Alaskan	Count	0	2	0	2
		% within Adult-Ped	.0%	.2%	.0%	.2%
	Not Specified	Count	0	8	0	8
		% within Adult-Ped	.0%	.7%	.0%	.7%
Total		Count	1	1119	1	1121
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	5-12	Count	0	1	1
Diagnosis		% within Sex	.0%	.6%	.1%
	13-19	Count	3	2	5
		% within Sex	.4%	1.1%	.6%
	20-24	Count	23	9	32
		% within Sex	3.2%	5.0%	3.6%
	25-29	Count	64	25	89
		% within Sex	9.0%	13.9%	10.0%
	30-34	Count	144	48	192
		% within Sex	20.2%	26.7%	21.5%
	35-39	Count	181	37	218
		% within Sex	25.4%	20.6%	24.4%
	40-44	Count	136	23	159
		% within Sex	19.1%	12.8%	17.8%
	45-49	Count	74	17	91
		% within Sex	10.4%	9.4%	10.2%
	50-54	Count	46	12	58
		% within Sex	6.5%	6.7%	6.5%
	55-59	Count	24	4	28
		% within Sex	3.4%	2.2%	3.1%
	60-64	Count	8	1	9
		% within Sex	1.1%	.6%	1.0%
	65-69	Count	5	1	6
		% within Sex	.7%	.6%	.7%
	70+	Count	3	0	3
		% within Sex	.4%	.0%	.3%
	Unknown	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total		Count	712	180	892
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	323	41	364
		% within Sex	45.4%	22.8%	40.8%
	African American	Count	244	114	358
		% within Sex	34.3%	63.3%	40.1%
	Hispanic	Count	141	23	164
		% within Sex	19.8%	12.8%	18.4%
	Asian-Pacific Islander	Count	4	2	6
		% within Sex	.6%	1.1%	.7%
Total		Count	712	180	892
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	415	0	415
Exposure		% within Sex	58.3%	.0%	46.5%
	IDU	Count	78	39	117
		% within Sex	11.0%	21.7%	13.1%
	M-M & IDU	Count	36	0	36
	Hemophiliac	% within Sex	5.1%	.0%	4.0%
	Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	20	65	85
		% within Sex	2.8%	36.1%	9.5%
	Transfusion	Count	3	4	7
		% within Sex	.4%	2.2%	.8%
	Not Classified	Count	159	70	229
		% within Sex	22.3%	38.9%	25.7%
	Ped Parent at Risk	Count	0	1	1
		% within Sex	.0%	.6%	.1%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.6%	.1%
Total		Count	712	180	892
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	1	362	1	364
		% within Adult-Ped	100.0%	40.7%	100.0%	40.8%
	African American	Count	0	358	0	358
		% within Adult-Ped	.0%	40.2%	.0%	40.1%
	Hispanic	Count	0	164	0	164
		% within Adult-Ped	.0%	18.4%	.0%	18.4%
	Asian-Pacific Islander	Count	0	6	0	6
		% within Adult-Ped	.0%	.7%	.0%	.7%
Total		Count	1	890	1	892
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	14	11	25
Diagnosis		% within Sex	.1%	.5%	.1%
	1 (12-23 mo)	Count	10	3	13
		% within Sex	.1%	.1%	.1%
	2-4	Count	6	9	15
		% within Sex	.0%	.4%	.1%
	5-12	Count	12	7	19
		% within Sex	.1%	.3%	.1%
	13-19	Count	58	29	87
		% within Sex	.3%	1.3%	.5%
	20-24	Count	638	168	806
		% within Sex	3.7%	7.8%	4.2%
	25-29	Count	2728	359	3087
		% within Sex	15.9%	16.6%	16.0%
	30-34	Count	4364	439	4803
		% within Sex	25.4%	20.3%	24.8%
	35-39	Count	4035	456	4491
		% within Sex	23.5%	21.1%	23.2%
	40-44	Count	2523	298	2821
		% within Sex	14.7%	13.8%	14.6%
	45-49	Count	1388	168	1556
		% within Sex	8.1%	7.8%	8.0%
	50-54	Count	702	89	791
		% within Sex	4.1%	4.1%	4.1%
	55-59	Count	378	51	429
		% within Sex	2.2%	2.4%	2.2%
	60-64	Count	176	38	214
		% within Sex	1.0%	1.8%	1.1%
	65-69	Count	85	16	101
		% within Sex	.5%	.7%	.5%
	70+	Count	48	22	70
		% within Sex	.3%	1.0%	.4%
	Unknown	Count	2	0	2
		% within Sex	.0%	.0%	.0%
Total		Count	17167	2163	19330
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	10957	682	11639
		% within Sex	63.8%	31.5%	60.2%
	African American	Count	4078	1225	5303
		% within Sex	23.8%	56.6%	27.4%
	Hispanic	Count	1997	228	2225
		% within Sex	11.6%	10.5%	11.5%
	Asian-Pacific Islander	Count	83	17	100
		% within Sex	.5%	.8%	.5%
	Am Indian-Alaskan	Count	41	6	47
		% within Sex	.2%	.3%	.2%
	Not Specified	Count	11	5	16
		% within Sex	.1%	.2%	.1%
Total	<u> </u>	Count	17167	2163	19330
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Se	-X	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	12416	0	12416
Exposure		% within Sex	72.3%	.0%	64.2%
	IDU	Count	1451	719	2170
		% within Sex	8.5%	33.2%	11.2%
	M-M & IDU	Count	1569	0	1569
		% within Sex	9.1%	.0%	8.1%
	Hemophiliac	Count	68	6	74
		% within Sex	.4%	.3%	.4%
	Heterosexual Contact	Count	389	718	1107
		% within Sex	2.3%	33.2%	5.7%
	Transfusion	Count	138	111	249
		% within Sex	.8%	5.1%	1.3%
	Not Classified	Count	1083	577	1660
		% within Sex	6.3%	26.7%	8.6%
	Ped Hemophiliac	Count	13	0	13
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	32	25	57
		% within Sex	.2%	1.2%	.3%
	Ped Transfusion	Count	8	4	12
		% within Sex	.0%	.2%	.1%
	Ped Other-Undet	Count	0	3	3
		% within Sex	.0%	.1%	.0%
Total		Count	17167	2163	19330
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	27	11610	2	11639
		% within Adult-Ped	37.5%	60.3%	100.0%	60.2%
	African American	Count	36	5267	0	5303
		% within Adult-Ped	50.0%	27.4%	.0%	27.4%
	Hispanic	Count	8	2217	0	2225
		% within Adult-Ped	11.1%	11.5%	.0%	11.5%
	Asian-Pacific Islander	Count	1	99	0	100
		% within Adult-Ped	1.4%	.5%	.0%	.5%
	Am Indian-Alaskan	Count	0	47	0	47
		% within Adult-Ped	.0%	.2%	.0%	.2%
	Not Specified	Count	0	16	0	16
		% within Adult-Ped	.0%	.1%	.0%	.1%
Total		Count	72	19256	2	19330
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	6	5	11
Diagnosis		% within Sex	.1%	.3%	.1%
	1 (12-23 mo)	Count	3	3	6
		% within Sex	.0%	.2%	.1%
	2-4	Count	2	4	6
		% within Sex	.0%	.3%	.1%
	5-12	Count	5	5	10
		% within Sex	.1%	.3%	.1%
	13-19	Count	38	23	61
		% within Sex	.5%	1.6%	.7%
	20-24	Count	289	113	402
		% within Sex	3.7%	7.8%	4.3%
	25-29	Count	1043	248	1291
		% within Sex	13.4%	17.1%	14.0%
	30-34	Count	1946	299	2245
		% within Sex	24.9%	20.7%	24.3%
	35-39	Count	1944	322	2266
		% within Sex	24.9%	22.3%	24.5%
	40-44	Count	1252	192	1444
		% within Sex	16.0%	13.3%	15.6%
	45-49	Count	659	116	775
		% within Sex	8.4%	8.0%	8.4%
	50-54	Count	327	60	387
		% within Sex	4.2%	4.1%	4.2%
	55-59	Count	168	29	197
		% within Sex	2.2%	2.0%	2.1%
	60-64	Count	81	16	97
		% within Sex	1.0%	1.1%	1.0%
	65-69	Count	27	6	33
		% within Sex	.3%	.4%	.4%
	70+	Count	9	6	15
		% within Sex	.1%	.4%	.2%
	Unknown	Count	2	0	2
		% within Sex	.0%	.0%	.0%
Total		Count	7801	1447	9248
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
		•	Male	Female	Total
Current	2-4	Count	1	0	1
Age		% within Sex	.0%	.0%	.0%
	5-12	Count	7	7	14
		% within Sex	.1%	.5%	.2%
	13-19	Count	9	11	20
		% within Sex	.1%	.8%	.2%
	20-24	Count	57	25	82
		% within Sex	.7%	1.7%	.9%
	25-29	Count	236	125	361
		% within Sex	3.0%	8.6%	3.9%
	30-34	Count	721	225	946
		% within Sex	9.2%	15.5%	10.2%
	35-39	Count	1615	320	1935
		% within Sex	20.7%	22.1%	20.9%
	40-44	Count	2131	304	2435
		% within Sex	27.3%	21.0%	26.3%
	45-49	Count	1452	187	1639
		% within Sex	18.6%	12.9%	17.7%
	50-54	Count	811	126	937
		% within Sex	10.4%	8.7%	10.1%
	55-59	Count	417	65	482
		% within Sex	5.3%	4.5%	5.2%
	60-64	Count	204	28	232
		% within Sex	2.6%	1.9%	2.5%
	65-69	Count	90	10	100
		% within Sex	1.2%	.7%	1.1%
	70+	Count	49	14	63
		% within Sex	.6%	1.0%	.7%
	Unknown	Count	1	0	1
		% within Sex	.0%	.0%	.0%
Total		Count	7801	1447	9248
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	4367	398	4765
		% within Sex	56.0%	27.5%	51.5%
	African American	Count	2194	861	3055
		% within Sex	28.1%	59.5%	33.0%
	Hispanic	Count	1161	164	1325
		% within Sex	14.9%	11.3%	14.3%
	Asian-Pacific Islander	Count	48	14	62
		% within Sex	.6%	1.0%	.7%
	Am Indian-Alaskan	Count	24	5	29
		% within Sex	.3%	.3%	.3%
	Not Specified	Count	7	5	12
		% within Sex	.1%	.3%	.1%
Total	_	Count	7801	1447	9248
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	5369	0	5369
Exposure		% within Sex	68.8%	.0%	58.1%
	IDU	Count	703	414	1117
		% within Sex	9.0%	28.6%	12.1%
	M-M & IDU	Count	638	0	638
		% within Sex	8.2%	.0%	6.9%
	Hemophiliac	Count	21	3	24
		% within Sex	.3%	.2%	.3%
	Heterosexual Contact	Count	240	488	728
		% within Sex	3.1%	33.7%	7.9%
	Transfusion	Count	31	39	70
		% within Sex	.4%	2.7%	.8%
	Not Classified	Count	776	485	1261
		% within Sex	9.9%	33.5%	13.6%
	Ped Hemophiliac	Count	6	0	6
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	14	13	27
		% within Sex	.2%	.9%	.3%
	Ped Transfusion	Count	3	2	5
		% within Sex	.0%	.1%	.1%
	Ped Other-Undet	Count	0	3	3
		% within Sex	.0%	.2%	.0%
Total		Count	7801	1447	9248
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	14	4749	2	4765
		% within Adult-Ped	42.4%	51.5%	100.0%	51.5%
	African American	Count	18	3037	0	3055
		% within Adult-Ped	54.5%	33.0%	.0%	33.0%
	Hispanic	Count	1	1324	0	1325
		% within Adult-Ped	3.0%	14.4%	.0%	14.3%
	Asian-Pacific Islander	Count	0	62	0	62
		% within Adult-Ped	.0%	.7%	.0%	.7%
	Am Indian-Alaskan	Count	0	29	0	29
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	12	0	12
		% within Adult-Ped	.0%	.1%	.0%	.1%
Total		Count	33	9213	2	9248
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se		
			Male	Female	Total
Age at	0 (0-11 mo)	Count	34	28	62
Diagnosis		% within Sex	.3%	1.0%	.4%
	1 (12-23 mo)	Count	4	10	14
		% within Sex	.0%	.3%	.1%
	2-4	Count	9	10	19
		% within Sex	.1%	.3%	.1%
	5-12	Count	22	15	37
		% within Sex	.2%	.5%	.2%
	13-19	Count	123	130	253
		% within Sex	1.0%	4.5%	1.6%
	20-24	Count	721	322	1043
		% within Sex	5.8%	11.1%	6.8%
	25-29	Count	1747	516	2263
		% within Sex	14.0%	17.7%	14.7%
	30-34	Count	2855	550	3405
		% within Sex	22.9%	18.9%	22.1%
	35-39	Count	2980	563	3543
		% within Sex	23.9%	19.3%	23.0%
	40-44	Count	1965	359	2324
		% within Sex	15.8%	12.3%	15.1%
	45-49	Count	1042	196	1238
		% within Sex	8.4%	6.7%	8.1%
	50-54	Count	510	118	628
		% within Sex	4.1%	4.0%	4.1%
	55-59	Count	265	51	316
		% within Sex	2.1%	1.8%	2.1%
	60-64	Count	126	26	152
		% within Sex	1.0%	.9%	1.0%
	65-69	Count	39	10	49
		% within Sex	.3%	.3%	.3%
	70+	Count	14	8	22
		% within Sex	.1%	.3%	.1%
	Unknown	Count	8	2	10
		% within Sex	.1%	.1%	.1%
Total		Count	12464	2914	15378
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	0 (0-11 mo)	Count	1	1	2
Age		% within Sex	.0%	.0%	.0%
	1 (12-23 mo)	Count	3	0	3
		% within Sex	.0%	.0%	.0%
	2-4	Count	15	12	27
		% within Sex	.1%	.4%	.2%
	5-12	Count	28	29	57
		% within Sex	.2%	1.0%	.4%
	13-19	Count	42	52	94
		% within Sex	.3%	1.8%	.6%
	20-24	Count	276	178	454
		% within Sex	2.2%	6.1%	3.0%
	25-29	Count	755	362	1117
		% within Sex	6.1%	12.4%	7.3%
	30-34	Count	1514	493	2007
		% within Sex	12.1%	16.9%	13.1%
	35-39	Count	2628	562	3190
		% within Sex	21.1%	19.3%	20.7%
	40-44	Count	3082	529	3611
		% within Sex	24.7%	18.2%	23.5%
	45-49	Count	2008	315	2323
		% within Sex	16.1%	10.8%	15.1%
	50-54	Count	1106	199	1305
		% within Sex	8.9%	6.8%	8.5%
	55-59	Count	551	103	654
		% within Sex	4.4%	3.5%	4.3%
	60-64	Count	274	44	318
		% within Sex	2.2%	1.5%	2.1%
	65-69	Count	117	16	133
		% within Sex	.9%	.5%	.9%
	70+	Count	62	18	80
		% within Sex	.5%	.6%	.5%
	Unknown	Count	2	1	3
		% within Sex	.0%	.0%	.0%
Total		Count	12464	2914	15378
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	6750	780	7530
		% within Sex	54.2%	26.8%	49.0%
	African American	Count	3689	1748	5437
		% within Sex	29.6%	60.0%	35.4%
	Hispanic	Count	1855	345	2200
		% within Sex	14.9%	11.8%	14.3%
	Asian-Pacific Islander	Count	94	20	114
		% within Sex	.8%	.7%	.7%
	Am Indian-Alaskan	Count	37	10	47
		% within Sex	.3%	.3%	.3%
	Not Specified	Count	39	11	50
		% within Sex	.3%	.4%	.3%
Total	_	Count	12464	2914	15378
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Sex		
			Male	Female	Total
Mode of Exposure	Male-to-Male Sex	Count	8363	0	8363
		% within Sex	67.1%	.0%	54.4%
	IDU	Count	973	678	1651
		% within Sex	7.8%	23.3%	10.7%
	M-M & IDU	Count	911	0	911
		% within Sex	7.3%	.0%	5.9%
	Hemophiliac	Count	27	3	30
		% within Sex	.2%	.1%	.2%
- - - -	Heterosexual Contact	Count	383	944	1327
		% within Sex	3.1%	32.4%	8.6%
	Transfusion	Count	41	49	90
		% within Sex	.3%	1.7%	.6%
	Not Classified	Count	1690	1176	2866
		% within Sex	13.6%	40.4%	18.6%
	Ped Hemophiliac	Count	14	0	14
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	52	52	104
		% within Sex	.4%	1.8%	.7%
	Ped Transfusion	Count	3	3	6
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	7	9	16
		% within Sex	.1%	.3%	.1%
Total	<u> </u>	Count	12464	2914	15378
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

			Adult-Ped			
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	40	7485	5	7530
		% within Adult-Ped	30.3%	49.1%	50.0%	49.0%
	African American	Count	73	5360	4	5437
		% within Adult-Ped	55.3%	35.2%	40.0%	35.4%
	Hispanic	Count	18	2181	1	2200
		% within Adult-Ped	13.6%	14.3%	10.0%	14.3%
	Asian-Pacific Islander	Count	1	113	0	114
		% within Adult-Ped	.8%	.7%	.0%	.7%
	Am Indian-Alaskan	Count	0	47	0	47
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	50	0	50
		% within Adult-Ped	.0%	.3%	.0%	.3%
Total		Count	132	15236	10	15378
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas